296
3
296-37.R 16
296
37.6
SCIENTIFIC LIBRARY
NOV 15 1960
U. S. PATENT OFFICE

Holan

series 5100
GENERAL SERVICE BODIES

Holan's General Service Bodies for the utility industries are designed and built to meet the tool, equipment and supply needs of various work assignments.

Series 5100 Bodies are manufactured from weight-saving high-tensile steel that resists rust. All bodies are of welded construction and feature self-sealing double-panel doors, pull-type flush handles, and non-corrosive nylon hinges.

Functional compartment design, plus a wide selection of optional equipment, makes the Series 5100 the most versatile service body in the field.

Provisions for power equipment are made on all Holan General Service Bodies. Shown here servicing street lights is the Model 5102-G, equipped with the Holan Series 2100 All-Hydraulic Ladder.

RIGHT VIEW

Right view of Model 5190-G shows horizontal and vertical compartments and optional lower rear compartment. Horizontal compartment has adjustable partition trays, vertical compartment with 3 adjustable shelves.

Left view shows standard horizontal and vertical compartments and optional lower rear compartment. The standard 3 adjustable shelves are shown in place in the vertical compartment.

LEFT VIEW



Holan

Models
5175-G
5190-G

the service body for ½-ton



LEFT SIDE



COMPARTMENTATION
LEFT SIDE



REAR VIEW



COMPARTMENTATION
REAR VIEW



RIGHT SIDE



COMPARTMENTATION
RIGHT SIDE

All dimensional figures are in inches.

and ¾-ton truck chassis . . .

. . . with plenty of compartment space

BODY DIMENSIONAL DATA

MODEL	L	W	C.A.	A	B	C
5175-G	75″	74½″	40″	56″	15¾″	52½″
5190-G	90″	74½″	48″	71″	18½″	67½″

All other body dimensions are the same.

COMPARTMENTATION DATA

Assembly 5175-11 For Model 5175-G Includes:

A 4175-11-A shelf 55 13/16″ long, 1″ lip.

B 5175-11-B shelf 40 3/16″ long, 2″ lip, includes 4172-11-C and 4172-11-E partitions.

C 1052 tray with adjustable partitions, 55 13/16″ long.

D 1052 tray with adjustable partitions, 40 3/16″ long. Includes 4172-11-D and 4172-11-F partitions.

1 set 1075-3-A & B adjustable shelf rack in right hand vertical compartment.

1 set 1075-3-A & B adjustable shelf rack in left hand vertical compartment.

1075-4 adjustable shelves, 3 for right hand side and 3 for left hand side.

Assembly 5190-11 For Model 5190-G Includes:

A 4190-11-A shelf 70 13/16″ long, 1″ lip.

B 5190-11-B shelf 52 3/8″ long, 2″ lip, includes 4172-11-C and 4172-11-E partitions.

C 1052 tray with adjustable partitions, 70 13/16″ long.

D 1052 tray with adjustable partitions, 52 3/8″ long. Includes 4172-11-D and 4172-11-F partitions.

1 set 1075-3-A & B adjustable shelf rack in right hand vertical compartment.

1 set 1075-3-A & B adjustable shelf rack in left hand vertical compartment.

1075-4 adjustable shelves, 3 for right hand side and 3 for left hand side.

a sturdy service body for a 1-ton and 1½-ton truck chassis

Holan

Model **5102-G**



LEFT SIDE


1102-G-E-Shelf, 82⅞ Long, 1" Lip
1075-4 Adj. Shelves, 18⅛" Wide, 11 5/16" Deep
1102-G-D-Shelf, 41⅝ Long, 2" Lip
1102-G-C-Shelf, 21¼ Long, 2" Lip
1" Lip
1102-G-B Partition
1075-3-A Adjustable Shelf Rack
1075-3-B Adjustable Shelf Rack

COMPARTMENTATION
LEFT SIDE



REAR VIEW



COMPARTMENTATION
REAR VIEW



RIGHT SIDE


1052 Tray With Adj. Partitions, 82⅞ Long
1052 Tray With Adj. Partitions, 41⅝ Long
1075-4 Adj. Shelves, 18⅛" Wide, 11 5/16" Deep
1102-G-A Partition
1" Lip
1075-3-A Adjustable Shelf Rack
1075-3-B Adjustable Shelf Rack.

COMPARTMENTATION
RIGHT SIDE

All dimensional figures are in inches.

Center-mounted ladder rack provides for overhead storage of long ladders.



Overhead side-angle ladder rack has full-length rail and hold-down clamp.



Front and rear brackets are available for side-angle ladder storage.

Flush-type low roof enclosure protects body interior, does not hamper rear window vision.



Easy-sliding low roof enclosure has hinged panel that locks to tailgate.



Pike pole brackets are mounted on right side of roof enclosure to clear cab door.



Optional lower rear compartment door is available on either side.

Single-hinged rear panel conveniently slides into low roof enclosure allowing full access to floor of body.

some optional equipment available on Holan Series 5100 service bodies

Sliding enclosure between side boxes with low-cost, double-hinged rear panel allows easy access to floor.

Firm, cushioned support for electric meters is provided by electric meter trays.



Hot-stick box, shown mounted on high roof model, is same length as body.



Adjustable pay-out reel can be mounted vertically or horizontally.

Optional spotlight for after-darkness work is shown mounted on front center of cab.

Gas meter trays provide sturdy support and easy access to gas meters.

High roof enclosure protects inside of body and provides additional shelf space. Double rear doors can be provided.

some Holan firsts on series 5100 service bodies



The foundation of every body is the base. The longitudinal and cross member supports provide an extra strong base.



Strong fender bead eliminates need for fender braces, thus reducing possibility of corrosion.



Rigid rub rail resists dinging and sheds water.

Strong, easy-working and non-corrosive nylon hinges require less lubrication.



Paddle-type flush handles, embossed with the Holan name, are original in the field and are the mark of quality on every Holan body. The safe, flush handles have single-action cam construction and key lock.



Pressed-in reinforcing cups add rigidity to double-paneled doors.

Two-stage lock strike prevents compartment doors from swinging open when not tightly closed.





Spring-action door check stops outward swing of door, holds in open position.

HOLAN CORPORATION, 4100 WEST 150th STREET, CLEVELAND 35, OHIO
PLANTS IN CLEVELAND, OHIO; GRIFFIN, GEORGIA; PHOENIX, ARIZONA

Holan

Subsidiary of THE OHIO BRASS COMPANY

HOLAN

Litho. in U.S.A.